

# SAFETY DATA SHEET

## EVO-STIK HI-WHITE GROUT

According to Regulation (EC) No 1907/2006

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME EVO-STIK HI-WHITE GROUT  
PRODUCT NO. D56045, D56069  
SYNONYMS, TRADE NAMES HWG  
SUPPLIER BOSTIK INDUSTRIES LTD  
NEWTOWN  
SWORDS  
CO.DUBLIN  
+353 1 8624900  
+353 1 8402186  
sds.box-irl@bostik.com

### 2 HAZARDS IDENTIFICATION

Risk of serious damage to eyes. Irritating to respiratory system and skin.

CLASSIFICATION (1999/45) Xi;R37/38, R41.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)
WHITE CEMENT			30-60%	Xi;R37/38,R41.

The Full Text for all R-Phrases is Displayed in Section 16

### 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

Remove affected person from source of contamination. Contact physician if discomfort continues.

#### INHALATION

Consult a physician for specific advice. Move the exposed person to fresh air at once.

#### INGESTION

Get medical attention if any discomfort continues. Immediately rinse mouth and provide fresh air.

#### SKIN CONTACT

Remove contaminated clothes and rinse skin thoroughly with water.

#### EYE CONTACT

Immediately flush with plenty of water or eyewash solution for up to 10 minutes.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

#### SPILL CLEAN UP METHODS

Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Avoid contact with skin and eyes. This material is strongly alkaline when wet. Always protect the whole body from contact with wet cement.

#### STORAGE PRECAUTIONS

Store under dry conditions between 5 and 25°C. Keep dry during transportation.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

# EVO-STIK HI-WHITE GROUT

## HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

## EYE PROTECTION

Wear dust resistant safety goggles where there is danger of eye contact.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Powder, dust
COLOUR	White.
ODOUR	Mild.

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions and recommended use.

### CONDITIONS TO AVOID

Will cure when exposed to moisture

## 11 TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION

No data recorded.

### SKIN CONTACT

Dust has an irritating effect on moist skin.

### EYE CONTACT

Irritating to eyes.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

No data on possible environmental effects have been found.

## 13 DISPOSAL CONSIDERATIONS

### GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product. This material is not classified as special waste as defined by Special Waste Regulations 1996.

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
---------	---

## 15 REGULATORY INFORMATION

### LABELLING



Irritant

### RISK PHRASES

R37/38	Irritating to respiratory system and skin.
R41	Risk of serious damage to eyes.

### SAFETY PHRASES

S2	Keep out of the reach of children.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37/39	Wear suitable gloves and eye/face protection.

## EVO-STIK HI-WHITE GROUT

S46	If swallowed, seek medical advice immediately and show this container or label.
S51	Use only in well-ventilated areas.
S64	If swallowed, rinse mouth with water (only if the person is conscious).

### 16 OTHER INFORMATION

#### GENERAL INFORMATION

This product should be used as directed by Bostik Industries Ltd. For further information consult the product data sheet or contact Technical Services.

#### INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

#### REVISION COMMENTS

This Safety Data Sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Industries Limited.

REVISION DATE 28/9/2010

REV. NO./REPL. SDS GENERATED 3

DATE 20/4/2007

#### RISK PHRASES IN FULL

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.