

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**· Trade name: **TREMCO SX250**

· MSDS code: W-T-SX250

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Floor screed - fast cement**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

tremco illbruck Coatings Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@tremco-illbruck.com

**Further information obtainable from:**

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

**1.4 Emergency telephone number:**

During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Irritant

R41: Risk of serious damage to eyes.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

Trade name: TREMCO SX250

(Contd. of page 1)

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Contains:**

portland cement

- **Hazard statements**

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Supplemental information:**

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO <sub>2</sub> ) substance with a Community workplace exposure limit	30- <50%
CAS: 65997-15-1 EINECS: 266-043-4	portland cement Xi R37/38-41; Xi R43 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	10- <20%
CAS: 65997-16-2 EINECS: 266-045-5	high alumina cement substance with a Community workplace exposure limit	5- <10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

**Trade name: TREMCO SX250**

(Contd. of page 2)

- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Allergic reactions  
Risk of serious damage to eyes.  
Irritating to respiratory system.  
Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.
- **Information for doctor:** No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.  
Ensure adequate ventilation  
Avoid formation of dust.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up mechanically.  
Keep away from water.  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of dust.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

Trade name: TREMCO SX250

(Contd. of page 3)

Avoid contact with the eyes and skin.

- **Information about fire - and explosion protection:** The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Protect from heat and direct sunlight.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

#### 14808-60-7 Quartz (SiO<sub>2</sub>)

WEL	Long-term value: 0.1* mg/m <sup>3</sup> *respirable, crystalline
-----	---------------------------------------------------------------------

#### 65997-15-1 portland cement

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
-----	---------------------------------------------------------------------------------

#### 65997-16-2 high alumina cement

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable **respirable
-----	-----------------------------------------------------------------------

- **Additional information:**

The lists valid during the making were used as basis.  
EH40/2005 Workplace Exposure Limits (2nd edition, 2011)

### 8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Do not breathe dust.

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Dust/Particulate mask.

- **Protection of hands:**



Protective gloves

(Contd. on page 5)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

**Trade name: TREMCO SX250**

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Rubber gloves

Neoprene gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Powder

Colour: Grey

- **Odour:** Mild

- **pH-value:** 10 - 13 (\*)  
\* when wet

- **Melting point/Melting range:** Undetermined.

- **Flash point:** Not applicable.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Density at 20 °C:** 1.8 g/cm<sup>3</sup>

- **Solubility in / Miscibility with water:** Slightly soluble.

- **Solvent content:**

Solids content: 100.0 %

- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable

(Contd. on page 6)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

Trade name: TREMCO SX250

(Contd. of page 5)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Corrosive action on metals.  
Reacts with acids.  
Reacts with strong oxidizing agents.
- **10.4 Conditions to avoid** Water / moisture.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:**  
Irritant to skin and mucous membranes.  
Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:**  
Sensitization possible through skin contact.  
Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact.  
Chromium (VI) content = <2ppm (0.0002%)  
Use within 6 months of the expiry date displayed on the packaging.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritating to eyes, respiratory system and skin.  
This product may contain respirable silica. Prolonged exposure can give rise to fibrosis of the lungs (silicosis).

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
High concentrations in water will cause the pH to rise which may cause harm to aquatic life.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

Trade name: TREMCO SX250

(Contd. of page 6)

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- **Waste disposal key:** UK : H4

- **European waste catalogue**

08 02 01	waste coating powders
----------	-----------------------

- **Uncleaned packaging:**

- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings may be treated like household garbage.

Non contaminated packagings may be recycled.

**SECTION 14: Transport information**

- **14.1 UN-Number**

- **ADR, ADN, IMDG, IATA** Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

- **14.4 Packing group**

- **ADR, IMDG, IATA** Void

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **UN "Model Regulation":**

-

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Directive 1999/45/EC.

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"CHIP" SI 2009 No.716.

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

CEMBUREAU; The European Cement Association

(Contd. on page 8)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 10.07.2014

Version number 2

Revision: 10.07.2014

**Trade name: TREMCO SX250**

(Contd. of page 7)

- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.
- **Other regulations, limitations and prohibitive regulations**  
"REACH" Regulation (EC) No 1907/2006; ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- **\* Data compared to the previous version altered.**

GB