TREMCO

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

Printing date 15.0	7.2014	Version number 2	Revision: 15.07.2014	
SECTION undertakin		of the substance/mixture an	d of the company/	
· 1.1 Product	identifier			
· Trade name:	TREMCO SX300 A			
No further rel	identified uses of the s evant information availab	ubstance or mixture and uses advis le. hixture Floor screed - fast cement	ed against	
Manufacture tremco illbruc Coupland Ro Tel: +44 (0)	f the supplier of the saf r/Supplier: k Coatings Ltd ad, Hindley Green, Wigar 1942251400, Fax: +44 (0 o-illbruck.com	n, WN2 4HT		
tremco illbruc Coupland Ro T: +44 (0) 19	mation obtainable from k Ltd ad, Hindley Green, Wigar 42251400, F: +44 (0) 19 illbruck.co.uk, uk.info@tre	n, WN2 4HT 42251410		
	cy telephone number: hours tel.: +44 (0) 19422	251400. At all other times please conta	ct your national poisoning	
SECTION 2	2: Hazards identifica	tion		
 · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 				
Eye Dam. 1	H318 Causes serious e	ye damage.		
Skin Irrit. 2	H315 Causes skin irrita	tion.		
Skin Sens. 1	H317 May cause an alle	ergic skin reaction.		
STOT SE 3	H335 May cause respira	atory irritation.		
• Classificatio Xi; Irritant	n according to Directive	e 67/548/EEC or Directive 1999/45/E0	C	
R37/38-41:	Irritating to respiratory s	ystem and skin. Risk of serious damag	ge to eyes.	
Xi; Sensitisin				
R43: • Information The product guideline for • Classificatio	May cause sensitisation concerning particular h has to be labelled due preparations of the EU" ir n system: ation is according to the	azards for human and environment: to the calculation procedure of the the latest valid version. latest editions of the EU-lists, and e	e "General Classification xtended by company and	
· 2.2 Label ele	ments			
	cording to Regulation (
The product i	s classified and labelled a	according to the CLP regulation.		
			(Contd. on page 2)	

173311[()

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

· Hazard pictograms

GHS05 GHS07

portland cement Hazard statements

· Contains:

P280

P261

P310

P501

P333+P313

P302+P352

· Signal word Danger

Version number 2

Revision: 15.07.2014

Trade name: TREMCO SX300 A

(Contd. of page 1) H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. Immediately call a POISON CENTER/doctor. Dispose of contents/container in accordance with local/regional/national/ international regulations.

· Supplemental information:

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. Contains chromium (VI). May produce an allergic reaction.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:

0	
CAS: 65997-15-1 portland cement	75- <100%
EINECS: 266-043-4 Xi R37/38-41; Xi R43	
Eye Dam. 1, H318; Skin Irrit. 2, H315	5; Skin Sens. 1, H317; STOT
SE 3, H335	

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

TREMCO

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

Trade name: TREMCO SX300 A

(Contd. of page 2)

• After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

 • 4.2 Most important symptoms and effects, both acute and delayed Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. Causes severe skin burns and eye damage. Allergic reactions

Dust may irritate the eyes and the respiratory system.

- Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- \cdot Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective clothing.
 Ensure adequate ventilation
 Avoid formation of dust.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
 Ensure adequate ventilation
 - Ensure adequate ventilation. Pick up mechanically. Keep away from water. Dispose contaminated material as waste according to item 13.
 - 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

173311[()

Trade name: TREMCO SX300 A

Avoid contact with the eyes and skin.

(Contd. of page 3)

• Information about fire - and explosion protection: The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Protect from heat and direct sunlight.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 portland cement

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

Additional information:

The lists valid during the making were used as basis. EH40/2005 Workplace Exposure Limits (2nd edition, 2011)

· 8.2 Exposure controls

· Personal protective equipment:

 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not breathe dust.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Dust/Particulate mask.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Rubber gloves Neoprene gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to (Contd. on page 5)

TREMCO

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

Trade name: TREMCO SX300 A

(Contd. of page 4)

be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties General Information Appearance: 		
Form:	Crystalline powder	
Colour:	Grey	
· Odour:	Odourless	
· pH-value:	10 - 12	
• Melting point/Melting range:	Undetermined.	
· Flash point:	Not applicable.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20 ℃:	1.35 g/cm ³	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Solvent content:		
Solids content:	100.0 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals. Reacts with acids.
- · 10.4 Conditions to avoid Water / moisture.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB -

(Contd. on page 6)

TREMCO

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

Trade name: TREMCO SX300 A

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin:
- Irritant to skin and mucous membranes.

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

Sensitization possible through skin contact.

Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact. Chromium (VI) content = <2ppm (0.0002%)

• Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. High concentrations in water will cause the pH to rise which may cause harm to aquatic life.

12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Waste disposal key: UK : H4
- · European waste catalogue
- 08 02 01 waste coating powders
- · Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings may be treated like household garbage.

TREMCO

according to 1907/2006/EC, Article 31

Printing date 15.07.2014

Version number 2

Revision: 15.07.2014

(Contd. of page 6)

Trade name: TREMCO SX300 A

Non contaminated packagings may be recycled.

SECTION 14: Transport information · 14.1 UN-Number · ADR, ADN, IMDG, IATA Void 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation":

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/45/EC. "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1). "CHIP" SI 2009 No.716. "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). CEMBUREAU; The European Cement Association

· National regulations:

• Information about limitation of use: Employment restrictions concerning juveniles must be observed.

• Other regulations, limitations and prohibitive regulations "REACH" Regulation (EC) No 1907/2006; ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

· Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31



Version number 2

Revision: 15.07.2014

(Contd. of page 7)

Printing date 15.07.2014

Trade name: TREMCO SX300 A

	ant phrases
H315	Causes skin irritation.
	May cause an allergic skin reaction.
	Causes serious eye damage.
H335	May cause respiratory irritation.
R37/38	3 Irritating to respiratory system and skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
Abbre	viations and acronyms:
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
	onal Carriage of Dangerous Goods by Road)
	nternational Maritime Code for Dangerous Goods ternational Air Transport Association
	obally Harmonized System of Classification and Labelling of Chemicals
	: European Inventory of Existing Commercial Chemical Substances
	: European List of Notified Chemical Substances
	nemical Abstracts Service (division of the American Chemical Society)
	. 2: Skin corrosion/irritation, Hazard Category 2
	n. 1: Serious eye damage/eye irritation, Hazard Category 1 ns. 1: Sensitisation - Skin, Hazard Category 1
	E 3: Specific target organ toxicity - Single exposure, Hazard Category 3
	compared to the previous version altered.